




▶ DiViS-MPG24008



DiViS-MPG24008 (8CH)

Product Features

● DVR Board

Hardware MPEG-4 CODEC

Healthy PC as low as 5 % of CPU Load

240 fps display/recording

8 channel camera inputs (NTSC/PAL)

8 channel sound inputs

8 channel sensor inputs

4 relay output

1 TV-Out port (1 Ch. Switching)

Supports RS-232/422/485 Pan/Tilt port

Supports watchdog (Automatic system restoration on system failure)

● DVR Software

Storage of high quality image data

Sound recording and support for two-way voice communication

Various modes of multi-view Screen (1, 4, 6, 8 Multi-view screen)

Movement detection and sensor activation

Fast and easy data search

Schedule management

Automatic data backup

E-mail Event Alert, IP Address Dispatch (for use with dynamic IP)

Control of multi-systems from a remote location (DiViS-Net)

Support for the Internet Explorer (DiViS-Web)

Application Areas

- **Automated Security Surveillance**
Uses for automatic security surveillance (banks, buildings, factories, warehouses, apartments, parking lots, etc.)

- **Management and Surveillance of Trespassers**
Uses for places with needs of management and surveillance of large crowds of people (hotels, casinos, department stores, large supermarkets, etc.)

- **Management and Surveillance of Branch Stores**
Uses for needs of management and surveillance of each branch store from a remote location. (chain stores, agencies, etc.)

- **Advertisement Possibilities for Companies and Private Schools**
Uses for advertisement or educational needs of Companies and Private Schools using real-time camera image on the internet. (companies, schools, private schools, kindergartens and other educational institutions, etc.)

Product Specifics

Model	DiViS-MPG24008
O/S	Windows XP, Windows Vista
Camera Inputs	8 Channels (NTSC/PAL)
Sound Inputs	8 Channels
Sensor Inputs	8 Channels
Relay Outputs	4 Channels
Composite Output	1 Channels (NTSC/PAL, switching)
Max. Display Speed	240 Frames/sec (NTSC), 200 Frames/sec (PAL)
Max. Recoding Speed	240 Frames/sec (NTSC), 200 Frames/sec (PAL)
Resolution	NTSC - 352x240, 704x240, 704x480 PAL - 352x288, 704x288, 704x576
DVR Software	DiViS DVR, DiViS-Net, DiViS-Web, Direct-Web, DiViS PDA-Net

Software




DiViS DVR



DiViS-Net

- **DiViS DVR**, your answer to multi-functionality with proven reliability
- With **DiViS-Net**, you have access and total control of up to 16 DiViS DVR systems, including all of it's cameras(a total of 256 cameras) and search through and store all data of all the systems.
- **DiViS-Web** gives you the ability to check each camera with nothing more than an internet browser



DiViS-Web